

First International Symposium on Pet Bird Nutrition
Hanover, Germany October 3-4, 1997

Development and feed conversion in juvenile hyacinth macaws (*Anodorhynchus hyacinthinus*) utilizing various handrearing formulations

Susan L. Clubb, J., Muscanera

Avian Practice, PO Box 508, Loxahatchee, Florida 33470, USA

Sponsored by Pretty Bird International, Inc.

Hyacinth macaws are often artificially hatched and handreared in captivity. These birds are often problematic to handrear using commercial handrearing formulas. In this study a number of chicks, handreared by a single individual were fed selected commercial formulas of varying protein content. Growth rates and feed conversion rates are compared. Ages at which difficulty are encountered are illustrated. This species has specific nutritional requirements at some stages of development which are not yet well defined.

Ernährungsbedingte

K.B. Seidel

Tierpark Berlin-Friedrichshagen

Kunstbrut und Handzucht unter Zoobedingungen intensiver Erkrankungen parasitärer durch Immunsuppression eine herausragende Rolle. In 2.632 Jungvögeln aus konzentrieren sich die angeborenen Kyphose, Rachitis, "Kippflügel", Marabus, Flamingos, während Handzucht Greifvögeln und Eulen

Da artspezifische Entwicklungen der Enzymen) für die gezielte artbezogene werden Erfahrungswerte Diäten (kontraindizierte Vitamin- und Mineral Falconiformes, Accipiter Generell sind bereits ungünstig einzuschätzen